



CERTIFICATE NUMBER
EFFECTIVE DATE
EXPIRY DATE
ABS TECHNICAL OFFICE

23-2396286-PDA
07-Jul-2023
06-Jul-2028
Gdynia Engineering Department

CERTIFICATE OF Product Design Assessment

This is to certify that a representative of this Bureau did, at the request of

DEIF A/S

located at

FRISENBORGVEJ 33, , SKIVE, Denmark, DK-7800

assess design plans and data for the below listed product. This assessment is a representation by the Bureau as to the degree of compliance the design exhibits with applicable sections of the Rules. This assessment does not waive unit certification or classification procedures required by ABS Rules for products to be installed in ABS classed vessels or facilities. This certificate, by itself, does not reflect that the product is Type Approved. The scope and limitations of this assessment are detailed on the pages attached to this certificate.

Product: Uni-Line Relays for Generator Protection
Model: RMV, RMC, RMP, RMQ, RMF, FAS, HAS, EPN, LSU, LMR & RMT
Endorsements:
Tier: 3 - Type Approved, unit certification not required

This Product Design Assessment (PDA) Certificate remains valid until 06/Jul/2028 or until the Rules and/or Standards used in the assessment are revised or until there is a design modification warranting design reassessment (whichever occurs first).

Acceptance of product is limited to the "Intended Service" details prescribed in the certificate and as per applicable Rules and Standards.

This Certificate is valid for installation of the listed product on ABS units which exist or are under contract for construction on or previous to the effective date of the ABS Rules and standards applied at the time of PDA issuance. Use of the Product for non-ABS units is subject to agreement between the manufacturer and intended client.

American Bureau Of Shipping

A. Pytkowski
Arkadiusz Pytkowski, Engineer/Consultant

NOTE: This certificate evidences compliance with one or more of the Rules, Guides, standards or other criteria of ABS or a statutory, industrial or manufacturer's standards. It is issued solely for the use of ABS, its committees, its clients or other authorized entities. Any significant changes to the aforementioned product without approval from ABS will result in this certificate becoming null and void. This certificate is governed by ABS Rules 1-1-A3/5.9 Terms and Conditions of the Request for Product Type Approval and Agreement (2010)

TERMS & CONDITIONS OF ABS DESIGN ASSESSMENT

1. AGREEMENT

Unless otherwise agreed in writing, all services rendered and certificates issued are governed by the terms and conditions of the "Request for Product Type Approval and Agreement" (the "Agreement") which are hereby incorporated by reference.

2. REPRESENTATIONS AS TO DESIGN ASSESSMENT

A certificate of design assessment represents that the product design meets the ABS, statutory, industrial or manufacturer's standard described on the reverse hereof and that the manufacturer has established a systematic quality monitoring system sufficient to show its capacity to consistently manufacture a product which meets the designated standards. ABS is not a substitute for the independent judgment of professional designers or engineers nor a substitute for the quality control procedures of constructors, steel makers, suppliers, manufacturers and vendors of marine structures, materials, machinery or equipment. ABS represents solely to the manufacturer or other client of ABS that it will use due diligence in developing Rules, Guides and standards and in surveying the plant as called for by ABS criteria for type approval.

3. SUSPENSION OF CERTIFICATION

Any of the following events will cause immediate suspension of the certificate of design assessment unless the change is submitted to ABS for a new review and audit.

- a) Redesign of the product or products covered by this certificate;
- b) Change in production methods;
- c) Substantial change in management organization;
- d) Substantial change in frequency or curriculum for personnel training;
- e) Refusing access to ABS personnel for periodic or annual audits;
- f) Failure to correct a non-compliance identified during an audit or in service;
- g) Failure to pay ABS fees.

4. VALIDITY

The validity, applicability and interpretation of a certificate issued under the terms of or in contemplation of ABS Type Approval are governed by the Rules, Guides and standards of American Bureau of Shipping which shall remain the sole judge thereof. Nothing contained in this certificate or in

any report issued in contemplation of this certificate shall be deemed to relieve any designer, builder, owner, manufacturer, seller, supplier, repairer, operator or other entity of any warranty express or implied, nor create any interest, right, claim or benefit in any third party. It is understood and agreed that nothing expressed herein is intended or shall be construed to give any person, firm or corporation other than the parties hereto, any right, remedy, or claim hereunder or under any of the provisions herein contained; all of the provisions hereof are for the sole and exclusive benefit of the parties hereto.

5. LIMITATION

ABS makes no representations beyond those contained herein and in the provisions of the Agreement regarding its reports, statements, plan review, surveys, certificates or other services.

6. HOLD HARMLESS

The party to whom this certificate is issued, and his assignee and successor in interest, agree to indemnify and hold harmless ABS from and against any and all claims, demands, lawsuits, or actions for damages, including legal fees, to persons or other legal entities and property, tangible, intangible, or otherwise which may be brought against ABS incidental to, arising out of or in connection with the work done, services performed or material to be furnished under this certificate, except for those claims caused solely and completely by the negligence of ABS, its agents, employees, officers, directors or subcontractors.

7. ARBITRATION

Any and all differences and disputes of whatsoever nature arising out of this agreement shall be put to arbitration in the City of New York pursuant to the laws relating to the arbitration there in force, before a board of three persons, consisting of one arbitrator to be appointed by ABS, one by Client, and one by the two so chosen. The decision of any two of the three on any point or points shall be final. Until such time as the arbitrators finally close the hearings either party shall have the right by written notice served on the arbitrators and on an officer of the other party to specify further disputes or difference under this Agreement for hearing and determination. The arbitration is to be conducted in accordance with the rules of the Society of Maritime Arbitrators, Inc. The arbitrators may grant any relief, other than punitive damages,

which they, or a majority of them, deem just and equitable and within the scope of the agreement of the parties, including, but not limited to, specific performance. Awards made in pursuance to this clause may include costs including a reasonable allowance for attorney's fees and judgment may be entered upon any award made hereunder in any court having jurisdiction. ABS and client hereby mutually waive any and all claims to punitive damages in any forum.

Client shall be required to notify ABS within thirty (30) days of the commencement of any arbitration between it and third parties which may concern ABS's work in connection with this Agreement and shall afford ABS an opportunity, at ABS's sole option, to participate in the arbitration.

8. TIME BAR TO LEGAL ACTION

Any statutes of limitation notwithstanding, Client expressly agrees for itself and its affiliated companies that its right to bring or to assert against ABS any and all claims, demands or proceedings whether in arbitration or otherwise shall be waived unless (a) notice is received by ABS within thirty (30) days after Client or its affiliates had notice of or should reasonably have been expected to have had notice of the basis for such claims; and (b) arbitration or legal proceedings, if any, based on such claims or demands of whatever nature are commenced within one (1) year of the date of such notice to ABS.

9. LIMITATION OF LIABILITY

The combined liability of American Bureau of Shipping, its officers, employees, agents or subcontractors for any loss, claim, or damage arising from negligent performance or non-performance of any services under this Agreement, of from breach of any implied or express warranty of workmanlike performance in connection with the services, or from any other reason, to any person, corporation, partnership, business entity, sovereign, country or nation, shall be limited to the greater of a) \$100,000 or b) an amount equal to ten times the sum actually paid for the services alleged to be deficient.

The limitation of liability may be increased up to an amount twenty-five times that sum paid for services upon receipt of Client's written request at or before the time of performance of service and upon payment by Client of an additional fee of \$10.00 for every \$1,000.00 increase in the limitation.

DEIF A/S

FRISENBORGVEJ 33

SKIVE

Denmark DK-7800

Telephone: 45-9614-9614

Fax: 45-9614-9615

Email: jfl@deif.com

Web: www.deif.com

Tier: 3 - Type Approved, unit certification not required

Product: Uni-Line Relays for Generator Protection**Model:** RMV, RMC, RMP, RMQ, RMF, FAS, HAS, EPN, LSU, LMR & RMT**Endorsements:****Intended Service:**

For use on ABS classed vessels and offshore facilities with ACC or ACCU Class Notation in accordance with the listed ABS Rules and International Standards.

Description:

Uni-line is a complete range of single-function components for generator control and protection. The Uni-line synchronisers and load sharers have relay control outputs.

Voltage Relays 3-phase: RMV-112D/ RMV-122D/ RMV-132D

Voltage Relays 1-phase: RMV-142D

Short Circuit / Overcurrent Relays: RMC-111D/ RMC-121D/ RMC-122D

Differential Current Relays: RMC-131D

Over Current Relay with maximum relay outputs: RMC-132D

Stator Earth Fault Relay: RMC-142D

Overload Relays: RMP-111D

Overload / Reverse Power Relays: RMP-112D

Reverse Power Relays: RMP-121D

Loss of Excitation Relays: RMQ-111D

Over Excitation Relay with maximum relay outputs: RMQ-121D

Frequency Relays: RMF-112D

Synchronisers: FAS-113DG

Synchronisers with Voltage Matching: FAS-115DG

Synchronising Relay with static synchronization, for manual Frequency Control: HAS-111DG

Electronic Potentiometer: EPN-110DN

Load Sharing Unit: LSU-112DG

Load Sharing Unit (and Power Protection): LSU-113DG

Load Sharing Unit (Start / Stop Outputs): LSU-114DG

VAR Load Sharing Unit: LSU-122DG

Loss of Mains Relay: LMR-111D

Phase Sequence Indicator/ Relay: RMT-111Q96

Rating:Measuring Voltage: 57.7V to 690V $\pm 20\%$

Frequency range: 40-70Hz

Enclosure protection: IP40 (Case) and IP20 (Terminals)

Operating temperatures: -25 degrees to 70 degrees C;

Humidity: Less than or equal to 100% RH

Service Restriction:

1. Unit Certification is not required for this product.
2. If the manufacturer or purchaser request an ABS Certificate for compliance with a specification or standard, the specification or standard, including inspection standards and tolerances, must be clearly defined.
3. Installation and operation is to be in accordance with Manufacturer's Instruction.

Comments:

1. The Manufacturer has provided a declaration about the control of, or the lack of Asbestos in this product.
2. The actual setting of the protection relay for reverse power protection needs to be verified for each vessel specific project separately as per Marine Vessels Rules 4-8-2/9.11.4.
3. The actual setting of the load sharing protection relay needs to be verified for each vessel specific project separately

DEIF A/S

FRISENBORGVEJ 33

SKIVE

Denmark DK-7800

Telephone: 45-9614-9614

Fax: 45-9614-9615

Email: jfl@deif.com

Web: www.deif.com

Tier: 3 - Type Approved, unit certification not required

as per Marine Vessels Rules 4-8-3/3.13.3(b), 3.13.3(c).

4. The under voltage protection relay setting needs to be verified for each vessel specific project separately as per Marine Vessels Rules 4-8-2/9.11.6.

Notes/Drawing/Documentation:

Drawing No. 878_01 DEIF Test Report 4910217502N_02B dated 2020-10-30, Electromagnetic field immunity FAS, Revision: 01,
Drawing No. 878_02 DEIF Test Report 4910217502N_02B dated 2020-05-05, Electromagnetic field immunity RMV, Revision: 01,
Drawing No. 878_03 DEIF Test Report 4910216501M dated 2020-10-30, Radiated emission FAS, Revision: 01,
Drawing No. 878_04 DEIF Test Report 4910216501M dated 2020-05-05, Radiated emission RMV, Revision: 01,
Drawing No. 878_05 N141ZAT3-A0857277 rev.2 verification statement, Revision: 02,
Drawing No. 878_06 epn-110dn data sheet 4921240126-uk, Revision: I,
Drawing No. 878_07 fas-113dg data sheet 4921240114-uk, Revision: L,
Drawing No. 878_08 fas-115dg data sheet 4921240116-uk, Revision: L,
Drawing No. 878_09 has-111dg data sheet 4921240144-uk, Revision: J,
Drawing No. 878_10 lsu-112dg data sheet 4921240118-uk, Revision: I,
Drawing No. 878_11 lsu-113dg data sheet 4921240120-uk, Revision: K,
Drawing No. 878_12 lsu-114dg data sheet 4921240122-uk, Revision: I,
Drawing No. 878_13 lsu-122dg data sheet 4921240124-uk, Revision: I,
Drawing No. 878_14 rmc-111-122-132d data sheet 4921240102-uk, Revision: J,
Drawing No. 878_15 rmc-121d data sheet 4921240260-uk, Revision: E,
Drawing No. 878_16 rmc-131d data sheet 4921240104-uk, Revision: L,
Drawing No. 878_17 rmf-112d data sheet 4921240223-uk, Revision: G,
Drawing No. 878_18 rmp-111d data sheet 4921240108-uk, Revision: J,
Drawing No. 878_19 rmp-112d data sheet 4921240110-uk, Revision: J,
Drawing No. 878_20 rmp-121d data sheet 4921240106-uk, Revision: L,
Drawing No. 878_21 rmq-111-121d-data sheet 4921240112-uk, Revision: I,
Drawing No. 878_22 rmt-111q96-data sheet-4921240131-uk, Revision: I,
Drawing No. 878_23 rmv-112-122-132d-data sheet 4921240096-uk Revision: L,
Drawing No. 878_24 rmv-142d data sheet 4921240128-uk, Revision: I,
Drawing No. Manufacturer Statement, Revision: -,

-----Revalidation 2023-----

Drawing No. 4910213100G - 0336 Cyclic test data TAS, DEIF Type test (10-10-2017), Revision: -,
Drawing No. DEIF Asbestos statement 2012-01-31, DEIF Asbestos statement 2012-01-31, Revision: -,
Drawing No. IPA0274-04W Technical documents, RMC- technical documents, Revision: -,
Drawing No. IPA0274-04W Test Data Sheet 1-2, DEIF Witness test data 1st half of report (15.02.2012), Revision: -,
Drawing No. IPA0274-04W Test Data Sheet 1-2, DEIF Witness test data 2nd half of report (15.02.2012), Revision: -,
Drawing No. RMC - 122D Schematic, Revision: E,
Drawing No. RMC-122D PCB layout, PCB lay out for SMD components, Revision: -,
Drawing No. IPA0274-04W Summary report, RMC summary report (26-06-2012), Revision: -,

Terms of Validity:

This Product Design Assessment (PDA) Certificate remains valid until 06/Jul/2028 or until the Rules and/or Standards used in the assessment are revised or until there is a design modification warranting design reassessment (whichever occurs first).

Acceptance of product is limited to the "Intended Service" details prescribed in the certificate and as per applicable Rules and Standards.

DEIF A/S

FRISENBORGVEJ 33

SKIVE

Denmark DK-7800

Telephone: 45-9614-9614

Fax: 45-9614-9615

Email: jfl@deif.com

Web: www.deif.com

Tier: 3 - Type Approved, unit certification not required

This Certificate is valid for installation of the listed product on ABS units which exist or are under contract for construction on or previous to the effective date of the ABS Rules and standards applied at the time of PDA issuance. Use of the Product for non-ABS units is subject to agreement between the manufacturer and intended client.

STANDARDS**ABS Rules:**

2023 Rules for Conditions of Classification - Part 1, 1-1-4/7.7, 1-1-A3, 1-1-A4, which covers the following:

2023 Rules for Building and Classing Marine Vessels: 4-8-2/9.11, 4-8-3/1.7, 4-8-3/1.11.1, 4-8-3/1.17.1, 4-9-9/7, 4-9-9/13, 4-9-9/15.7 Table1

2023 Rules for Conditions of Classification, Offshore Units and Structures (Part 1), 1-1-4/9.7, 1-1-A2, 1-1-A3, which covers the following:

2023 Rules for Building and Classing Mobile Offshore Units: 4-1-1/7.7, 4-1-1/7.9, 4-3-1/11, 4-3-1/15, 4-3-2/9.3, 6-1-1/9, 6-1-1/13,

2023 Rules for Building and Classing Facilities on Offshore Installations: 3-6/5.1, 3-6/5.3, 3-6/Table 1A & 1B

National:

NA

International:

IACS UR E10: Rev. 8: 2022

BS EN 60529:1992+A2:2013

Government:

NA

EUMED:

NA

OTHERS:

NA